



Linear Potentiometers



ATI Systems

Committed to Quality

Head Office

011 383 8300

International: +27 11 383 8300

sales@atisystems.co.za - www.atisystems.co.za

159 Galjoen Rd, Wadeville, Germiston

Durban Branch

031 303 1587

International: +27 31 303 1587

sales@atisystems.co.za - www.atisystems.co.za

10 Ballance Rd, Windermere, Durban



Management System
ISO 9001:2015
www.tuv.com

OPKON Linear Potentiometers


Square Body Potentiometer - 33 mm x 34.5 mm Square Body



RTL

Part No.	Description	Stroke
RTL 30-5K	30 mm stroke and 5K resistance	30 mm
RTL 50-5K	50 mm stroke and 5K resistance	50 mm
RTL 75-5K	75 mm stroke and 5K resistance	75 mm
RTL 100-10K	100 mm stroke and 10K resistance	100 mm
RTL 125-10K	125 mm stroke and 10K resistance	125 mm
RTL 130-10K	130 mm stroke and 10K resistance	130 mm
RTL 150-10K	150 mm stroke and 10K resistance	150 mm
RTL 175-10K	175 mm stroke and 10K resistance	175 mm
RTL 200-10K	200 mm stroke and 10K resistance	200 mm
RTL 225-10K	225 mm stroke and 10K resistance	225 mm
RTL 250-10K	250 mm stroke and 10K resistance	250 mm
RTL 275-10K	275 mm stroke and 10K resistance	275 mm
RTL 300-10K	300 mm stroke and 10K resistance	300 mm
RTL 325-10K	325 mm stroke and 10K resistance	325 mm
RTL 350-10K	350 mm stroke and 10K resistance	350 mm
RTL 375-10K	375 mm stroke and 10K resistance	375 mm
RTL 400-10K	400 mm stroke and 10K resistance	400 mm
RTL 450-10K	450 mm stroke and 10K resistance	450 mm
RTL 500-10K	500 mm stroke and 10K resistance	500 mm
RTL 600-10K	600 mm stroke and 10K resistance	600 mm
RTL 700-10K	700 mm stroke and 10K resistance	700 mm
RTL 800-10K	800 mm stroke and 10K resistance	800 mm
RTL 900-10K	900 mm stroke and 10K resistance	900 mm
RTL 1000-10K	1000 mm stroke and 10K resistance	1000 mm

Sliding Rod Potentiometer - 33 mm x 33 mm Square Body



LPH

Part No.	Description	Stroke
LPH 100-10K	100 mm stroke and 10K resistance	100 mm
LPH 150-10K	150 mm stroke and 10K resistance	150 mm
LPH 200-10K	200 mm stroke and 10K resistance	200 mm
LPH 250-10K	250 mm stroke and 10K resistance	250 mm
LPH 300-10K	300 mm stroke and 10K resistance	300 mm
LPH 350-10K	350 mm stroke and 10K resistance	350 mm
LPH 400-10K	400 mm stroke and 10K resistance	400 mm
LPH 500-10K	500 mm stroke and 10K resistance	500 mm
LPH 600-10K	600 mm stroke and 10K resistance	600 mm
LPH 700-10K	700 mm stroke and 10K resistance	700 mm
LPH 750-10K	750 mm stroke and 10K resistance	750 mm
LPH 800-10K	800 mm stroke and 10K resistance	800 mm
LPH 1000-10K	1000 mm stroke and 10K resistance	1000 mm
LPH 1250-10K	1250 mm stroke and 10K resistance	1250 mm

Spring Loaded Potentiometer - 33 mm x 34.5mm square body



LPS

Part No.	Description	Stroke
LPS 30-5K	30 mm stroke and 5K resistance	30 mm
LPS 50-5K	50 mm stroke and 5K resistance	50 mm
LPS 100-10K	100 mm stroke and 10K resistance	100 mm
LPS 150-10K	150 mm stroke and 10K resistance	150 mm

OPKON Linear Potentiometers

Round Body Potentiometer - 38 mm OD Round Body



LPC

Part No.	Description	Stroke
LPC 50-5K	50 mm stroke and 5K resistance	50 mm
LPC 75-5K	75 mm stroke and 5K resistance	75 mm
LPC 100-10K	100 mm stroke and 10K resistance	100 mm
LPC 150-10K	150 mm stroke and 10K resistance	150 mm
LPC 200-10K	200 mm stroke and 10K resistance	200 mm
LPC 250-10K	250 mm stroke and 10K resistance	250 mm
LPC 300-10K	300 mm stroke and 10K resistance	300 mm
LPC 350-10K	350 mm stroke and 10K resistance	350 mm
LPC 400-10K	400 mm stroke and 10K resistance	400 mm
LPC 500-10K	500 mm stroke and 10K resistance	500 mm
LPC 600-10K	600 mm stroke and 10K resistance	600 mm
LPC 700-10K	700 mm stroke and 10K resistance	700 mm

Slim Series Potentiometer - 18 mm x 24,7mm Body



SLPT

Part No.	Description	Stroke
SLPT10-2K	10 mm stroke and 2K resistance	10 mm
SLPT25-5K	25 mm stroke and 5K resistance	25 mm
SLPT50-5K	50 mm stroke and 5K resistance	50 mm
SLPT75-5K	75 mm stroke and 5K resistance	75 mm
SLPT100-10K	100 mm stroke and 10K resistance	100 mm
SLPT150-10K	150 mm stroke and 10K resistance	150 mm
SLPT200-10K	200 mm stroke and 10K resistance	200 mm
SLPT250-10K	250 mm stroke and 10K resistance	250 mm
SLPT300-10K	300 mm stroke and 10K resistance	300 mm

Slim Series Potentiometer with Rod Ends - 18 mm x 24,7mm Body



SLPC

Part No.	Description	Stroke
SLPC10-2K	10 mm stroke and 2K resistance	10 mm
SLPC25-5K	25 mm stroke and 5K resistance	25 mm
SLPC50-5K	50 mm stroke and 5K resistance	50 mm
SLPC75-5K	75 mm stroke and 5K resistance	75 mm
SLPC100-10K	100 mm stroke and 10K resistance	100 mm
SLPC150-10K	150 mm stroke and 10K resistance	150 mm
SLPC200-10K	200 mm stroke and 10K resistance	200 mm
SLPC250-10K	250 mm stroke and 10K resistance	250 mm
SLPC300-10K	300 mm stroke and 10K resistance	300 mm

Slim Series Potentiometer Spring Loaded - 18 mm x 24,7mm Body



SLPS

Part No.	Description	Stroke
SLPS10-2K	10 mm stroke and 2K resistance	10 mm
SLPS25-5K	25 mm stroke and 5K resistance	25 mm
SLPS50-5K	50 mm stroke and 5K resistance	50 mm
SLPS75-5K	75 mm stroke and 5K resistance	75 mm
SLPS100-5K	100 mm stroke and 5K resistance	100 mm